

XA-24

Good news! We've expanded and refined our line of XA Greenhouses. Two different widths (24', and 30'), stronger frames, taller side walls and more clearance under the peaks! The XA-24 is the new kid on the block but still boasts maximum natural ventilation, and an abundance of options to fit your needs and budget.

FEATURES

Optimal Ventilation: The thermostatically controlled Poly-Vent[®] ridge and side wall ventilation system provides maximum circulation

Connection Options: Assemble as a freestanding structure or gutter-connect to other XA-24s

Finishing Options: Purchase the frame only or select a complete package, which includes everything required for turn-key operations

Covering: Long-lasting polycarbonate structured sheeting


Custom Configuration: Work with our experienced sales team to assemble the appropriate heating, cooling, doors, and environmental systems for your needs

Galvanized Steel Frame: Constructed of 2.5" O.D. 12 gauge galvanized steel, this durable structure holds up to years of extreme elements



Poly-Vent[®]

Ridge and sidewall vents run the entire length of this structure, promoting natural air flow and reducing expensive electrical bills.



SPECIFICATIONS

- Width:** 24'
- Length:** starting at 24' with increments of 4'
- Sidewall Height:** 8'
- Height to Apex:** 18'- 7"
- Frame Spacing:** 4' or 6'
- Truss Height:** Approximately 10'- 2"
- Truss System:** 5-part truss made of 1" and 1.66" galvanized tube
- Frame:** 2.5" O.D. 12 ga. galvanized steel tube
- Purlin:** (3) runs of 1.315" O.D. 17 ga. galvanized steel tube



OPTIONS



Choice of Polycarbonate Structured Sheeting: Work with sales staff to select the appropriate sheeting for your needs




Door Selection: Sliding or swinging doors available in single or double widths; starting size is 3' x 6'- 8" but several sizes are available

Ventilation Options: Poly-Vent side vents, Slide-Side Ventilation, HAF fans, and Roll-up side curtains. **See pages 50 - 52.**



Bench Systems: Choose from a wide range of retail or stationary growing benches



Call Now for Information and Pricing

Our sales team is available Monday-Friday from 8:00am until 4:30pm CST.

800-852-3443



EXPANSION MANSION

When you're a new grower, you've got to start somewhere, and our economical Expansion Mansion makes that easy to do! If you're an established grower you'll enjoy the simplicity of upgrading and expanding as your needs evolve with this highly versatile structure.

The Expansion Mansion provides you with loads of feature selections—like poly film or polycarbonate sheeting and a wide range of environmental systems. So whether you're new or established, you'll certainly benefit from a structure that gets you started and keeps you going for years.

FEATURES

Economical Advantage: One of the most economical growing structures for its class, this structure delivers quality and affordability

Optimal Ventilation: The thermostatically controlled side wall ventilation system provides maximum circulation

Connection Options: Assemble as a freestanding structure, or gutter-connect to other Expansion Mansions

Finishing Options: Purchase the frame only or select a complete package, which includes everything required for turn-key operations

Choice of Covering: Choose from double polyethylene film or polycarbonate structured sheeting


Custom Configuration: Work with our experienced sales team to assemble the appropriate heating, cooling, doors, and environmental systems for your needs

Galvanized Steel Frame: Constructed of 2" O.D. 14 gauge galvanized steel, this durable structure holds up to years of extreme elements



Poly-Vent®

Sidewall vents run the entire length of this structure, promoting natural air flow and reducing expensive electrical bills.



SPECIFICATIONS

Width: 21'

Length: Starting at 24' with increments of 4' or 6'

Sidewall Height: 6', 7' or 8'

Height to Apex: 11'- 4"

Frame Spacing: 4' or 6'

Truss Height: Approximately 8'- 6"

Truss System: 3-part truss made of 1" and 1.66" galvanized tube

Frame: 2" O.D. 14 ga. galvanized steel tube

Purlin: (1) runs of 1.315" O.D. 17 ga. galvanized steel tube



OPTIONS




Choice of Polycarbonate Structured Sheeting: Work with sales staff to select the appropriate sheeting for your needs



Door Selection: Sliding or swinging doors available in single or double widths; starting size is 3' x 6'- 8" but custom sizes are available



Bench Systems: Choose from a wide range of retail or stationary growing benches



Ventilation Options: Poly-Vent side vents, Slide-Side Ventilation, HAF fans, and Roll-up side curtains. **See pages 50 - 52.**

Call Now for Information and Pricing

Our sales team is available Monday-Friday from 8:00am until 4:30pm CST.

800-852-3443





PT-30

Purchasing a growing structure is a big investment. That's why it's nice when you can utilize your asset in multiple ways. Our PT-30 is a great cold frame, but it's also heavy-duty enough to be used as a year-round growing structure—that's twice as nice. But why stop there? For an added cost you can request a 2' side extension and turn your PT-30 into a high tunnel. It's once, twice, three times the structure with the PT-30.



OUR STRUCTURES ARE JUST STRONGER




Our PT-30 is manufactured with 2" O.D. 14 gauge tubing. That's 20% LARGER than other manufacturers, for greater durability and support where you need it most—the frame. Get a better product for your investment.



SPECIFICATIONS

- Width:** 30'
- Length:** Starting at 24' with increments of 4' or 6'
- Sidewall Height:** 24" sidewall extension (optional)
- Frame Spacing:** 4' or 6'
- Peak Height:** 10'-4"
- Truss Height:** Approx. 8'
- Frame:** 2" O.D. 14 ga. galvanized steel
- Purlins:** (2) runs of 1.163" O.D. 17 ga. and (1) run of 18 ga. roll form



Frame Only Price Includes: Five-piece bows, diagonal wind braces, ground stakes, assembly hardware, (3) purlin runs and set up manual (End frame verticals are not included)

Standard Package Price Includes: Five-piece bows, diagonal wind braces, ground stakes, assembly hardware, (3) purlin runs and set up manual, three-part truss on every intermediate frame section, roll-form end frame (packages), roll-form side rails, (2) full-length manual roll-up sidewall vents, Wiggle Wire™ poly fastening system, single layer clear poly roof and ends, double swinging end doors (one end)

Call Now for Information and Pricing

Our sales team is available Monday-Friday from 8:00am until 4:30pm CST.

800-852-3443



OPTIONS



Ventilation: Our 12" HAF fans reduce condensation and improve circulation for improved plant health; **see page 52**



Increased Strength: Truss Kit bolts on to frame-only PT-30 intermediate frame sections for increased durability



End Door Options: Choose from 6' x 6'-8" double swinging, or sliding door packages, or opt for 3' x 6'-8" single swinging door package



End Frame Finishing: Heavy-duty, galvanized steel and ready for poly.
No door opening
6' door opening
3' door opening
 (door not included)



Side Wall Vents Available: Roll-up sidewall vents with self-locking gear box, ensure natural, simple, and effective ventilation



KOOL HOUSE™

Just because something is inexpensive doesn't mean it has to be cheap. Our focus at Poly-Tex is to make things as economical as possible without sacrificing quality, and the Kool House is a perfect example: it includes diagonal wind braces, heavy-duty construction and all the materials you'll need to complete the structure. No more running to the store for extra wood and parts. Deliver, assemble, enjoy—Kool!

FEATURES


Economical Advantage: The Kool House is built for growth; its modular design makes it easy and affordable to add additional hoops whenever necessary

Finishing Options: Purchase the frame only or select a complete package, which can be custom configured to your specifications

Superior Strength: Heavy-duty construction ensures years of reliability; structure includes sturdy 1.66" O.D. 16 gauge bows and full-length purlins for added durability

Hold Down System: Properly place your structure; ground stakes and driver are included with frame only or complete package orders

Diagonal Wind Braces: Additional support helps this structure maintain its integrity in high wind conditions



Our Kool House is manufactured with 1.66" O.D. 16 gauge tubing. That's 26% LARGER than other manufacturers, for greater durability and support where you need it most—the frame. Get a better product for your investment.

OUR STRUCTURES ARE JUST STRONGER

SPECIFICATIONS

Width: 14', 16', 18', 20'

Length: starting at 16' with increments of 4' or 6'

Height to Apex: half of the width


Frame Spacing: 4' or 6'

Cover: clear or white 6 mil. UVI treated polyethylene

End Wall Cover: clear or white 6 mil. UVI treated polyethylene

Frame: 1.66" O.D. 16 ga. galvanized steel tube

Purlin: (1) 1.163" O.D. 17 ga. galvanized steel tube



Available with Roll-Up Sides

Frame-only price includes: Three-piece bows, diagonal wind braces, ground stakes, ground stake driver, assembly hardware, (1) center purlin run and set up manual. (End frame verticals are not included.)

Standard package price includes: Everything in frame-only price and: Roll-form end frame (packages), roll-form side rails, (2) full-length manual roll-up sidewall vents, Wiggle Wire® poly fastening system, single layer clear poly roof and ends, swinging end door (one end)



OPTIONS



End Frame Options: Galvanized steel end frame comes ready for plastic; choose with or without door; door sizes include: 14' (with 3' x 6'-8" door frame) or 16', 18', & 20' (with 4' x 6'-8" door frame)



Side Wall Vents Available: Roll-up sidewall vents with self-locking gear box, ensure natural, simple, and effective ventilation



Roof Inflation Kit: Inflate your optional double layer poly for added insulation and improved life span




Ventilation: Our 12" HAF fans reduce condensation and improve circulation for better plant health; **see page 52**



Roof Coverage: Contact your salesperson for selection information



Shade Cloth: Give your plants needed relief from the sun, **see page 39** for options



Call Now for Information and Pricing

Our sales team is available Monday-Friday from 8:00 am until 4:30 pm CST.

800-852-3443




FIELDPRO® GOTHIC

Mean, clean and green, that's our motto for the FieldPro high tunnel, whose durable design and multiple width selections let you extend your season in a way that's right for you. Without all of the add-ons or ventilation systems, this structure is straightforward and low-energy. The heavy-duty galvanized frame ensures years of durability and assembles quickly so small farmers, local cultivators, and specialty growers can get growing and keep growing for as long as they need to. Choose from our Frame Only or Standard packages.



GOTHIC STYLE HIGH TUNNEL



Frame Only Price Includes: Five-piece frame sections, ground stakes, (3) purlins, (4) diagonal wind braces, peak bracing, ground stake driver, assembly hardware and a set up manual. Lumber not included.

Standard Package Price Includes: Everything in the frame only price as well as upper and baseboard lumber U-clamps, end-wall lumber mount fittings and hardware, Wiggle Wire™ poly fastening system, single-layer clear poly roof and ends, (2) full-length manual roll-up sidewall vents. Lumber not included






FIELDPRO® GABLE



GABLE STYLE HIGH TUNNEL



SPECIFICATIONS

Width: 20', 24' & 30'

Length: Starting at 16' with increments of 4' or 6'

Sidewall Height: 4' or 6'

Height to Apex: 12' (20' & 24' models), 12'-4" (30' models)

Frame Spacing: 4' or 6'

Cover: Clear or white 6 mil. UVI treated polyethylene

End Wall Cover: Clear or white 6 mil. UVI treated polyethylene

Frame: 1.66" O.D. 14 ga. galvanized steel tube (20' & 24' models) 2" O.D. 14 ga. galvanized steel tube (30' models)

Purlin: (1) run of 18 ga. roll form, (2) 1.163" O.D. 17ga. galvanized steel tube side purlins

OPTIONS



Complete with Hardware:

Be ready to assemble; purchase your end frame hardware and lumber mounting hardware from us and save yourself a trip to the hardware store



Side Wall Vents Available:

Roll-up Sides feature a self-locking gear box (included in standard package)



Roll-Up Door Kit:

Galvanized steel jamb & header, clear 3-ply reinforced poly door, drive tube, roll-up crank and hardware



FieldPro Roll-Up Door Kits Include: galvanized steel jamb & header, clear 3-ply reinforced poly door, drive tube, 60" roll-up crank and hardware

Please call **800-852-3443** for additional sizes, configurations, and pricing.